



1 **EU-TYPE EXAMINATION CERTIFICATE**

2 Equipment intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

3 Certificate Number: **Sira 10ATEX1155X** Issue: **3**

4 Equipment: **Flange Immersion Heaters, Series F**

5 Applicant: **Watlow Electric Manufacturing Company** **Watlow Electric Manufacturing (Shanghai) Co., Ltd**

6 Address: 6 Industrial Loop Road Building 5, No.358, Shenxia Road
Hannibal Forward High Tech Zone,
Missouri Jia Ding Dist,
63401 Shanghai 201818,
USA China. PRC

7 This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 Sira Certification Service, notified body number 0518 in accordance with Articles 17 and 21 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential reports listed in Section 14.2.

9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule to this certificate, has been assured by compliance with the following documents:

EN IEC 60079-0:2018 EN 60079-1:2014

The above list of documents may detail standards that do not appear on the UKAS Scope of Accreditation, but have been added through Sira's flexible scope of accreditation, which is available on request.

10 If the sign 'X' is placed after the certificate number, it indicates that the equipment is subject to Specific Conditions of Use identified in the schedule to this certificate.

11 This EU-Type Examination Certificate relates only to the design and construction of the specified equipment. If applicable, further requirements of this Directive apply to the manufacture and supply of this equipment.

12 The marking of the equipment shall include the following:



II 2G
Ex db IIC T* Gb
Ta = -60°C to +80°C

Note: Temperature classification is assigned as appropriate; as per previous certification.

Project Number 70183143

C Ellaby
Deputy Certification Manager

This certificate and its schedules may only be reproduced in its entirety and without change.